


SECTION 7 : TABLE OF CONTENTS

Rider Alert Graphic Layout	7.1
Rider Alert Sign Locations	7.2



Pre-screenprinted Substraight Colors:

Background white. Header text white.
Header and Metro logo red.

Substraight material: .080 Styrene

Temporary messages may be digitally printed directly on styrene or printed on paper and laminated to styrene backer.

Signs installed on sign types A.1 or A.2 are singled sided. Signs installed on sign types B.1, B.2, C.1, C.2 are double sided

Sign Type A.1



Single sided message

Sign Type A.2



Single sided message

Sign Type B.1



Double sided message

Sign Type B.2




Double sided message

Sign Type C.1: Locations options



Double sided message



Singled sided message, located on building side of sign insert. Curb side of sign is blank.




Double sided message

Sign Type C.2: Locations options



Double sided message



Singled sided message, located on building side of sign insert. Curb side of sign is blank.



Double sided message

Sign Type A.1, A.2 Installation methods: Install with zip ties attached to sign pole. See section 9 for installation guidelines.

Sign Types B.1, B.2, C.1, C.2 Installation methods: Install with custom bracket and tri-groove tool, see Section 8 for details. There are 3 installation locations options available. The choice for which location is to be used should be based on the amount of surrounding space for each sign's site.